

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	308	((frequency adj1 hop\$4) and select\$3).clm.	US-PGPUB	OR	OFF	2005/12/15 10:15
L2	92	((frequency adj1 hop\$4) and select\$3 and period).clm.	US-PGPUB	OR	OFF	2005/12/15 10:15
L3	1	((frequency adj1 hop\$4) and select\$3 and period and prohibit\$3).clm.	US-PGPUB	OR	OFF	2005/12/15 10:15
L4	56	((frequency adj1 hop\$4) and select\$3 and period and portion).clm.	US-PGPUB	OR	OFF	2005/12/15 10:16
S1	4801	frequency adj1 hopping	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:22
S2	87	frequency adj1 hopping and select adj1 frequency	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 14:14
S3	83	frequency adj1 hopping and select adj1 frequency and @ay<"2001"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:07
S4	51	frequency adj1 hopping and select adj1 frequency and period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:11
S5	0	frequency adj1 hopping and select adj1 frequency and period and endpoint	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:11
S6	0	frequency adj1 hopping and select adj1 frequency and period and end-point	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:21
S7	0	frequency adj1 hopping and minize	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:22
S8	910	frequency adj1 hopping and minimize	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:22
S9	656	frequency adj1 hopping and minimize and period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:22

S10	404	frequency adj1 hopping and minimize and period and select	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:23
S11	267	frequency adj1 hopping and minimize and period and select and store	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:27
S12	0	frequency adj1 hopping and minimize adj1 repeated adj1 frequencies and period and select and store	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:27
S13	0	minimize adj1 repeated adj1 frequencies	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:27
S14	1042	period and select adj1 frequency	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 09:09
S15	91	period and select adj1 frequency and hopping	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 09:14
S16	0	period adj1 T and select adj1 frequency adj1 N and hopping	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 09:15
S17	8	period adj1 T and select adj1 frequency and hopping	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 09:19
S18	66	period and select adj1 frequency and hopping and threshold	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 09:47
S19	13	period and select adj1 frequency and hopping and pseudo-randomly	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 09:30
S20	0	period and select adj1 frequency and hopping and gading	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 09:48
S21	13	period and select adj1 frequency and hopping and fading	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 09:48

S22	4	frequency adj1 hopping and reduce adj1 period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 12:45
S23	0	frequency adj1 hopping and reduce adj1 period and frequency adj1 index	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 12:45
S24	89	frequency adj1 hopping and memory adj1 store	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 13:26
S25	69	frequency adj1 hopping and memory adj1 store and select	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 13:26
S26	796	frequency adj1 hopping and time adj1 period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:33
S27	4416	frequency adj1 hopping and time adj1 period frequency adj1 set and size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:10
S28	93	frequency adj1 hopping and time adj1 period and frequency adj1 set	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:59
S29	2215238	frequency adj1 hopping and time adj1 period and frequency adj1 set and frequency size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:10
S30	71	frequency adj1 hopping and time adj1 period and frequency adj1 set and size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:10
S31	10	hopping adj1 set and time adj1 period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:39
S32	40	"0111795"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:40
S33	0	"0111795A"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:39

S34	0	"wo 0111795A"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:40
S35	0	"011179500"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:40
S36	0	"010011795"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:41
S37	2	"01117950"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:41
S38	3	2340694a	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:43
S39	0	0111795a	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:44
S40	0	01117950a	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:44
S41	0	00111795a	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 15:44
S42	771	time adj1 period and frequency adj1 set and size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 16:00
S43	241	time adj1 period and frequency adj1 set and size and select and store	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:08
S44	63	time adj1 period and frequency adj1 set and size and select and store and hopping	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 16:13
S45	1	period and frequency adj1 (set and size) and select and store and hopping	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 16:15

S46	0	reduce adj1 period and frequency adj1 (set and size) and select and store and hopping	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 16:15
S47	0	reduce adj1 period and frequency adj1 (set and size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 16:15
S48	4	reduce adj1 period and hopping	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/01 16:16
S49	6682	frequency adj1 set and select\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:22
S50	3865	frequency adj1 set and select\$3 and period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:23
S51	14	frequency adj1 (set and size) and select\$3 and period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:29
S52	0	frequency adj1 hopping and minimize adj1 period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:24
S53	0	set adj1 of adj1 frequency and select\$3 and period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:14
S54	3221	set adj1 frequency and select\$3 and period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:30
S55	203	n adj1 frequencies and select\$3 and period	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:30
S56	1	n adj1 frequencies and select\$3 and period and frequency adj1 size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:31
S57	91	n adj1 frequencies and select\$3 and period and size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:50

S58	0	n adj1 frequencies and select\$3 and period and size adj1 f	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:50
S59	1	n adj1 frequencies and select\$3 and period and f adj1 size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:52
S60	0	n adj1 frequencies and select\$3 and period and f adj1 frequency adj1 size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:53
S61	79	n adj1 frequencies and select\$3 and period and size and reduc\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 14:53
S62	2432	375/130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:02
S63	17598	pseudo-random\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:02
S64	415	pseudo-random\$2 adj1 select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:03
S65	12	frequency adj1 hop\$4 with pseudo-random\$2 adj1 select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:22
S66	2	"20020049936"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:22
S67	280	pseudo-random\$2 adj1 select\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:56
S68	243	pseudo-random\$2 adj1 select\$3 and reduce hop\$4 adj1 size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:48

S69	0	pseudo-random\$2 adj1 select\$3 and reduc\$3 adj1 hop\$4 adj1 size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:49
S70	0	reduc\$3 adj1 hop\$4 adj1 size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:49
S71	0	reduc\$4 adj1 hop\$4 adj1 size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:55
S72	2	pseudo-random\$2 adj1 select\$3 with index	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:57
S73	0	pseudo-random\$2 adj1 select\$3 with hop\$4 adj1 index	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:00
S74	118	pseudo-random\$2 adj1 select\$3 and reduce	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:00
S75	3	pseudo-random\$2 adj1 select\$3 and reduce adj1 frequenc\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:00
S76	3	"4654859" and random\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:09
S77	26	frequency adj1 hop\$4 with random\$2 adj1 select\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:16
S78	0	frequency adj1 hop\$4 with random\$2 adj1 select\$3 and reduc\$3 adj hop\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:17
S79	0	frequency adj1 hop\$4 with random\$2 adj1 select\$3 and reduc\$3 adj frequenc\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:18
S80	0	frequency adj1 hop\$4 with random\$2 adj1 select\$3 and reduc\$3 adj1 frequenc\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 11:18

S81	0	frequency adj1 hop\$4 with random\$2 adj1 select\$3 and divid\$3 adj1 frequenc\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 13:55
S82	6	reduc\$3 adj1 frequency adj1 hop\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 14:01
S83	2	"6345066" and frequenc\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 14:26
S84	1	"6345066" and random	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 14:28
S85	1	"6345066" and pseudo adj1 random\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 14:28
S86	2	"20020164990"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:17
S87	4	"6388221" and tim\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:41
S88	11	"5377221" and tim\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:53
S89	4	"6345066"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:19
S90	3	"6345066" and tim\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:20
S91	2	"20020164990"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:27

S92	48045	((frequency adj1 hop\$4) or ph) with select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:14
S93	4	((frequency adj1 hop\$4) or ph) with select\$3 with prohibit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:21
S94	91	((frequency adj1 hop\$4) or ph) with select\$3 and (reduce adj1 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:21
S95	198	((frequency adj1 hop\$4) or ph) with select\$3 and (reduc\$3 adj1 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:21
S96	2	((frequency adj1 hop\$4) or ph) with select\$3 with (reduc\$3 adj1 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:23
S97	197	((frequency adj1 hop\$4) or ph) with (frequency adj1 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:33
S98	0	((frequency adj1 hop\$4) or ph) with (frequency adj1 select\$3) with prohibit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:33
S99	0	((frequency adj1 hop\$4) or ph) with (prohibit\$3 adj1 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:22
S10 0	52	(frequency adj1 hop\$4 adj1 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:14